



BRICKKORA BRICKS TRADING



Product Range & Specifications



Clay Face Bricks · Masonry & Screen Blocks · Utility Bricks

Manufactured to Australian Standards · Western Australia · Edition 2026

A division of Global Australia Pty Ltd

WELCOME TO BRICKORA

Building Australia, brick by brick.

Brickora Bricks Trading is a Western Australian supplier and importer of premium clay face bricks, masonry blocks, architectural screen blocks and utility bricks. Operating as a division of Global Australia Pty Ltd, we bring together carefully sourced product ranges with the service, reliability and local knowledge that WA builders, architects and owner-builders expect.

Every product in this catalogue is offered to meet the relevant Australian Standards, including AS/NZS 4455 for masonry units and AS 3700 for masonry structures. Our ranges span warm heritage reds, coastal creams and limestones, contemporary greys, smooth and tumbled finishes, glazed designer bricks and reclaimed character bricks — giving you the freedom to match any style from coastal to classic, urban to contemporary.

Whether you are cladding a new home, designing a feature wall, building a boundary or specifying for a commercial project, our team can help you select the right unit, finish and bond. We supply across the Perth metropolitan area and regional WA, with delivery and pick-up options to suit your site.

Quality assured

Supplied to meet AS/NZS 4455
& AS 3700.

WA local

Perth metro & regional delivery
and pick-up.

Full range

Face, masonry, screen, utility &
accessories.

CONTACT

23 Victoria Road, Kenwick, Perth WA
+61 449 989 159 · +61 466 589 094

A division of Global Australia Pty Ltd
ABN 79 611 596 797



Contents

FACE BRICKS

Heritage Range	01
Estate Range	02
Renaissance Range	03
Atelier Range — Heritage Matte	04
Atelier Range — Heritage Tumbled	05
Reclaimed Range	06
Iberian Range — Slimline	07
Iberian Range — Gloss	08

BLOCKS

Masonry Blocks	09
Screen (Breeze) Blocks	10

UTILITY

Utility Bricks & Lintels	11
HP-Series Load-Bearing Blocks	12

GUIDANCE


How to Choose Face Bricks	13
The Benefits of Brick	16
Important Information	17
Colour Reference	18

Please note


Dimensions and units per square metre are nominal and supplied within the tolerances of AS/NZS 4455. Colour swatches are representational only; final selection should be made from current physical samples. Prices are shown as [TBC] — contact our team for a current quotation.

Heritage Range

230 x 110 x 76mm



Karri Red
BK-HE-01




Pilbara Rust
BK-HE-02



Coastal Hue
BK-HE-03



Smooth Ironstone
BK-HE-06



Type / Size	Format	Per 1000	Per Pack	Bricks / m²	Per Pack
Standard 230x110x76mm	Cored	[TBC]	[TBC]	48.5	264
Tumbled 230x110x76mm	Cored	[TBC]	[TBC]	48.5	264

PRICE
[TBC]

Also available: Harbour Grey (BK-HE-04), Wheaten Cream (BK-HE-05), and tumbled finishes of each colour. Solid units available at an additional charge per 1000 over the cored price [TBC]. Colours marked * are made to order, subject to availability.

Estate Range

290 x 90 x 162mm




Nullarbor Stone
BK-ES-01



Cape Sand
BK-ES-04






Shale Drift
BK-ES-03



Darling Range
BK-ES-02



Available dimensions — nominal sizes (mm), supplied to AS/NZS 4455 tolerances




Type / Size	Format	Per 1000	Per Pack	Bricks / m²	Per Pack
Face Brick 290x90x162mm	Cored	[TBC]	[TBC]	19.4	138
Half-height 290x90x76mm	Cored	[TBC]	[TBC]	37.0	264
1c 76mm Face accessory	Solid	[TBC]	[TBC]	—	264
190mm Fraction Snap (190x90x162)	Cored	[TBC]	[TBC]	—	138

PRICE
[TBC]


A bold double-height format for striking, contemporary facades. Available in three nominal formats — 290x90x162, 290x90x76 and 190x90x162 — with accessory bricks for course matching. Colours marked * are made to order. Solid units available at an additional charge per 1000 over the cored price [TBC]. Colours marked * are made to order, subject to availability.

Renaissance Range


230 x 110 x 76mm




Laneway Ember
BK-RN-01




Old Mint Red
BK-RN-02



Chapel Brown
BK-RN-03



Laneway Ember Tumbled
BK-RN-01T



Type / Size	Format	Per 1000	Per Pack	Bricks / m²	Per Pack
Standard 230x110x76mm	Cored	[TBC]	[TBC]	48.5	264
Tumbled 230x110x76mm	Cored	[TBC]	[TBC]	48.5	264

PRICE
[TBC]

Warm, characterful reds and browns for urban and heritage-inspired homes. Tumbled finishes add a rustic, weathered edge. Solid units available at an additional charge per 1000 over the cored price [TBC]. Colours marked * are made to order, subject to availability.

Atelier — Heritage Matte

230 x 110 x 76mm



Oyster
BK-AT-01



Granite Ash
BK-AT-02



Soft Cream
BK-AT-03



Onyx Night
BK-AT-05



Type / Size	Format	Per 1000	Per Pallet	Bricks / m ²	Per Pallet
Heritage Matte 230x110x76mm	Cored	[TBC]	[TBC]	48.5	600

PRICE
[TBC]

A refined, low-sheen designer face brick in soft neutral tones. Also available: Misty Haze (BK-AT-04). Delivered on pallets. Pallets do not incur a fee and are non-returnable. Solids are not available for this range.

Atelier — Heritage Tumbled


230 x 110 x 76mm



City Loft
BK-ATT-01



Brownstone
BK-ATT-02



Type / Size	Format	Per 1000	Per Pallet	Bricks / m ²	Per Pallet
Heritage Tumbled 230x110x76mm	Cored	[TBC]	[TBC]	48.5	600

PRICE
[TBC]

The Atelier matte profile with a tumbled, time-worn edge for industrial and inner-city looks. Delivered on pallets. Pallets do not incur a fee and are non-returnable. Solids are not available for this range.

Reclaimed Range


230 x 110 x 76mm



Reclaimed — White Mortar
BK-RC-01



Reclaimed — Cream Mortar
BK-RC-02



Type / Size	Format	Per 1000	Per Pallet	Bricks / m²	Per Pallet
Extruded 230x110x76mm*	—	[TBC]	[TBC]	48.5	500
Pressed 230x110x76mm*	—	[TBC]	[TBC]	48.5	500

PRICE
[TBC]

*Sizes are approximate and will vary. Each pack carries unique natural imperfections and colour — ideal for feature walls, garden walls, restorations and heavy-traffic paving. Delivered on pallets, non-returnable.

Iberian Range — Slimline

290 x 90 x 47mm



Blanco Pearl
BK-IB-01



Ash Linen
BK-IB-02



Stone Grey
BK-IB-03



Carbon Black
BK-IB-04



Type / Size	Format	Per 1000	Per Pallet	Bricks / m²	Per Pallet
Slimline 290x90x47mm	Cored	[TBC]	[TBC]	58.5	510

PRICE
[TBC]

A long, slimline format for sleek contemporary detailing. Delivered on pallets. Pallets do not incur a fee and are non-returnable. Solids are not available for this range.

Iberian Range — Gloss

230 x 110 x 76mm



Blanco Gloss
BK-IBG-01



Linen Glaze
BK-IBG-02



Espresso Blue
BK-IBG-03



Graphite Metallic
BK-IBG-04



Type / Size	Format	Per 1000	Per Pallet	Bricks / m²	Per Pallet
Gloss 230x110x76mm	Cored	[TBC]	[TBC]	48.5	432

PRICE
[TBC]

A glazed, light-reflecting designer face brick for bold statement walls. Delivered on pallets. Pallets do not incur a fee and are non-returnable. Solids are not available for this range.

Masonry Blocks



Grey



Dune



Alabaster*



Carbon*



Limestone*

Standard colours: Grey, Dune. * Made-to-order colours: Alabaster, Carbon, Limestone.



Series / Size	Per 1000	Per Plt	Blk/m²	Plt Qty	Wt kg
100mm 390x90x190mm — Grey	[TBC]	[TBC]	12.5	180	10.0
100mm 390x90x190mm — Dune	[TBC]	[TBC]	12.5	180	10.3
150mm 390x140x190mm — Grey	[TBC]	[TBC]	12.5	120	12.5
150mm 390x140x190mm — Dune	[TBC]	[TBC]	12.5	120	12.9
200mm 390x190x190mm — Grey	[TBC]	[TBC]	12.5	90	16.2
200mm 390x190x190mm — Dune	[TBC]	[TBC]	12.5	90	16.8


All masonry blocks are delivered on pallets (refundable pallet deposit applies). Small fractions are available, cut to size or purpose made. For unreinforced walls using concrete masonry, control joints must be incorporated at centres not exceeding 6 metres. Refer to AS 3700 for further information.

PRICE

[TBC]

Screen (Breeze) Blocks

395 x 90 x 195mm



Halo
BK-SB-01



Leaf
BK-SB-02



Wave
BK-SB-03

Type / Size	Per Block	Per Plt	Blk/m²	Plt Qty	Wt kg
Screen Block 395x90x195mm — White	[TBC]	[TBC]	12.5	144	10.1

PER BLOCK
[TBC]

Decorative geometric screen blocks for privacy screens, garden walls and feature facades. Three original patterns — Halo, Leaf and Wave. Delivered on pallets (refundable deposit applies).

Utility Bricks


Description	Wt (kg)	Per 1000	Per Pack	Bricks/m ²	Per Pack
Common 230x110x76mm — Cored	2.8–3.2	[TBC]	[TBC]	48.5	264
Common — Paint Grade	2.8–3.2	[TBC]	[TBC]	48.5	264
Common — Render Grade*	2.8–3.2	[TBC]	[TBC]	48.5	264
Common — Solid	3.8–4.2	[TBC]	[TBC]	48.5	264
Maxiblock 305x90x162mm	5.1–5.9	[TBC]	[TBC]	18.5	132
Acoustic Maxiblock 305x90x162mm	6.0–6.6	[TBC]	[TBC]	18.5	132
Maxi One 305x90x162mm	5.0–5.2	[TBC]	[TBC]	18.5	132
Linear305 305x90x76mm — Cored	3.0–3.2	[TBC]	[TBC]	37.0	252
Linear305 305x90x76mm — Solid	5.1–5.9	[TBC]	[TBC]	37.0	252
Modular Split 290x90x33mm	—	[TBC]	[TBC]	—	432

*Render grade subject to availability and not for load bearing. All utility bricks are manufactured to meet Australian Standards. Not all utility bricks are suitable for external use — please discuss the application with our team.

Maxiblock formats — large-format cored clay units, nominal sizes (mm)



Interlocking block layout (top view)




Galvanised Maxi Lintel

various lengths × 90 × 162mm

Length	Price
0.94 m	[TBC]
1.25 m	[TBC]
1.57 m	[TBC]
1.89 m	[TBC]
2.20 m	[TBC]
2.50 m	[TBC]

HP-Series Load-Bearing Blocks

Vertically-perforated (HP) fired-clay blocks for load-bearing external walls. The dense vertical cellular structure delivers strength, thermal performance and acoustic insulation in a single unit, while the tongue-and-groove ends allow rapid dry-stack laying. Supplied to meet the relevant Australian Standards for clay masonry units (AS/NZS 4455) and masonry structures (AS 3700).



HP-230

Size	300 × 200 × 230 mm
Compressive strength	min. 14 N/mm ²
Water absorption	max. 11%
Weight	13.4 kg
Blocks per m ²	16 / m ²
Wall width	230 mm · 9 in
Sound reduction (Rw)	46 dB

BEST FOR: EXTERNAL WALLS



HP-150

Size	300 × 200 × 150 mm
Compressive strength	min. 14.7 N/mm ²
Water absorption	max. 11%
Weight	9.5 kg
Blocks per m ²	16 / m ²
Wall width	150 mm · 6 in
Sound reduction (Rw)	43 dB

BEST FOR: EXTERNAL WALLS

Compressive strength, water absorption, weight and acoustic figures are nominal manufacturer values and may vary with batch. We recommend consulting a structural engineer for load-bearing and multi-storey applications.

PRICE

[TBC]

How to Choose Face Bricks

1. Decide your style

The look of your home guides the brick you choose. Four popular WA styles to start from:

Coastal

Light, relaxed and inspired by the WA coastline. Look to creams and limestones in the Heritage and Estate ranges, with a sealed mortar joint for salt protection.

Contemporary

Clean lines and openness. The Iberian Slimline and Gloss ranges deliver crisp, modern facades in pearl, stone and graphite.

Urban


Edgy and raw. Exposed feature walls in Renaissance reds or Atelier Tumbled add a bold inner-city character.

Classic

Warm and timeless — from colonial to federation. The Heritage and Estate ranges offer plenty of choice in reds, creams and stones.

2. Compare brick textures

The face texture changes the character of a wall as much as colour. These are the four finishes we supply most often across WA homes:



SMOOTH

An even, near-ceramic face with crisp, straight edges — ideal for clean contemporary and rendered-look facades.



CUT-FACE

A dragged, raked surface that reads as gently weathered, suiting coastal and relaxed family homes.



ROLLED

Surface-textured before firing to produce soft, varied tones and a tactile, natural-stone feel.



TUMBLED

Rough, knocked-back edges for a rustic, time-worn look that works for heritage and industrial styles.

How to Choose Face Bricks

2. Finesse the finer details

Location

Your site conditions help determine the right brick and mortar joint. For homes exposed to coastal salt spray, saline soils or industrial air pollution, talk to our team about exposure-grade units and sealed joints.

Colour & texture

Our colours run from light neutral tones to deep, dark shades. SMOOTH bricks have a consistent, almost-ceramic face. CUT-FACE bricks have a dragged, weathered look. ROLLED bricks carry pre-firing textures. TUMBLED bricks have rough, uneven rustic edges.

Size


One size doesn't fit all. Mix formats across a home for sills, feature walls and detailing: STANDARD 76mm high (230×110), SLIMLINE 47mm high (290×90), LINEAR 290mm long, and DOUBLE-HEIGHT 162mm (290×90).

Mortar Joints & Brick Bonds

Common mortar colours



Natural / Grey



White / Off-white



Cream / Buff



Coloured to match

Common mortar joints



Raked



Ironed / Rolled



Flush



Struck

In coastal areas, a sealed joint (ironed/rolled or flush) is recommended to protect against salt erosion.

Common brick bond patterns



Stretcher



Stack



Flemish



Soldier course



Scottish (6th course)

The Benefits of Brick

Building with brick brings strength, durability and low maintenance — but one of its biggest advantages is energy performance.

Heating and cooling is a major household cost and a significant source of emissions. High thermal-mass materials such as clay brick help reduce that energy use.

Research by Think Brick Australia with the University of Newcastle has found clay-brick construction to be an energy-efficient and sustainable walling solution. Paired with good solar-passive design, brick reduces internal temperature swings for comfortable year-round living.

In short: brick gradually absorbs heat to keep interiors cool in summer, and holds warmth longer in winter.

Solar-passive design

- **Orientation**

Position the home to take advantage of natural sun and light.

- **Glazing & shading**

Use eaves, tinting and double glazing to control heat gain.

- **Ventilation**

Cross-ventilation plus internal thermal mass evens out temperatures.

- **Insulation**

Walls and ceilings act as a barrier to heat flow year-round.

- **Thermal mass**

Dense materials like clay brick moderate day/night extremes.

Source: Think Brick Australia / Univ. of Newcastle research.

Important Information

Sizing

Product is supplied within the dimensional tolerances of AS/NZS 4455. Sizes and the number per square metre are nominal and may vary with installation technique and natural manufacturing variation.

Ordering & delivery

We recommend product is delivered at the same time to ensure colour consistency. Country orders can be strapped, packed and shrink-wrapped on request (notice required).

Brickwork by the coast

In marine environments use exposure-grade units, a sealed joint (flush or rolled) and an approved damp-proof course for maximum protection.

Damp-proof course

An adequate DPC, correctly installed above ground level, is essential to protect brickwork from ground salts and moisture.

Colour variation

Clay is a natural product; colour varies within and between batches. Order all product together for consistency and blend from several packs as you lay.

Masonry blocks

All concrete masonry shrinks over time; allow for this in design. For unreinforced walls, incorporate control joints at centres not exceeding 6 metres (AS 3700).

Mortar mixes (AS 3700)

M3 (non-saline): 1 cement : 1 lime : 6 sand. M4 (saline/exposure): 1 cement : 0.5 lime : 4.5 sand. Sand source affects final mortar colour — discuss with your builder.

Cleaning

Use correct cleaning methods; excessive acid can permanently stain brickwork. Brick cleaning should be carried out by a trained professional.

Colour Reference

A curated range of natural clay brick colours to suit a wide variety of architectural styles.

BRICKORA™ COLOUR REFERENCE SHEET						
A curated range of natural clay brick colours to suit a wide variety of architectural styles. Colours are an indication only. Variations in clay, firing and texture may occur.						
LIGHT CREAM	LIGHT TERRACOTTA	WARM RED	DARK RED	CHOCOLATE BROWN	GREY	CHARCOAL
						
A soft, light cream with subtle warmth. Ideal for creating bright, timeless and elegant facades.	A warm, light terracotta with natural orange clay tones. Soft and inviting.	A classic warm red with vibrant clay character. Versatile and full of life.	A deep, rich red with earthy tones. Strong, traditional and enduring.	A deep brown with chocolate undertones. Warm, bold and sophisticated.	A balanced mid grey with subtle cool undertones. Clean and contemporary.	A deep charcoal grey for bold, contemporary statements. Striking and refined.
TYPICAL USES • Coastal homes • Hamptons style • Contemporary designs • Light, airy palettes	TYPICAL USES • Mediterranean • Modern Australian • Tuscan inspired • Warm, natural palettes	TYPICAL USES • Traditional homes • Federation • Country style • Feature walls	TYPICAL USES • Classic brick homes • Heritage • Solid, grounded designs • Feature elements	TYPICAL USES • Modern homes • Architectural features • Earthy palettes • Accent walls	TYPICAL USES • Modern facades • Minimalist design • Industrial style • Urban homes	TYPICAL USES • Modern architecture • Feature walls • Mono-chrome palettes • Commercial designs
MORTAR SUGGESTION  Light Grey or Off White	MORTAR SUGGESTION  Light Grey or Beige	MORTAR SUGGESTION  Beige or Light Grey	MORTAR SUGGESTION  Grey or Natural	MORTAR SUGGESTION  Grey or Charcoal	MORTAR SUGGESTION  Light Grey or White	MORTAR SUGGESTION  Dark Grey or Charcoal
Colours are an indication only. Natural variations in clay, texture, firing and lighting may affect the final appearance. We recommend seeing physical samples before making your final selection.						

Colours are an indication only. Natural variations in clay, texture, firing and lighting may affect the final appearance.
 We recommend seeing physical samples before making your final selection.



A division of Global Australia Pty Ltd

ABN 79 611 596 797

GET IN TOUCH

23 Victoria Road, Kenwick, Perth WA

Phone: +61 449 989 159

+61 466 589 094



Scan to connect
with Brickora

Samples and catalogue images are a general guide only. Colour and texture may vary between batches and production runs. Final selections should be made from current physical samples, subject to availability. Photographs and renders are representative and may not reflect exact product appearance. Customers are responsible for inspecting all delivered products prior to installation; any concerns should be raised before laying begins. Products are supplied to meet the relevant Australian Standards including AS/NZS 4455 and AS 3700.